

VACUUM / EXTRACTOR

Carpet extractor / Spotter

8070-SS | Carpet extractor | MFG By Mytee

120 volt 20 amp single cord

- Inline heater up to 210 F°
- Pressure pump 120 psi 1.3 gpm
- Vacuum motor 3 stage 100 cfm and 130" water lift
- 15' solution and suction hose
- Stainless steel Upholstery Tool
- 4 gallon solution tank

Model	Description	Gallons	Price
8070-SS	Carpet extractor Mytee lite	4	

**You don't see the parts you are looking? Give us a call! We keep a large inventory of mytee parts in stock*

HP120-SS | Carpet extractor | MFG By Mytee

120 volt 20 amp single cord

- Inline heater up to 210 F°
- Pressure pump 120 psi 1.3 gpm
- Vacuum motor 3 stage 100 cfm and 130" water lift
- 15' solution and suction hose
- Stainless steel Upholstery Tool
- 10 solution tank
- 12 gallon recovery tank

Model	Description	Gallons	Price
HP120-SS	Carpet extractor Mytee	10	

**You don't see the parts you are looking? Give us a call! We keep a large inventory of mytee parts in stock*

Carpet extractor / Tools

Model	Description	Prix
8400	Upholstery Tool 4" stainless steel	
8400P	Upholstery Plastic Tool 4"	
8700	Crevice tool 3" stainless steel	
A935	18" wand solution hose	

You don't see the parts you are looking? Give us a call! We keep a large inventory of mytee parts in stock

Water heater / on demand

WATER HEATER | MFG by Mytee

120 volt 20 amp single cord

- Inline heater up to 210 F°
- (you need water pressure feed inlet)
- 4 switches to turn 600, 1200, 1800, or 2400 watts of heat

Model	Description	Gallons	Price
240-120	Heater - 2400 watt (stand alone)	N/A	
480-120	Heater - 4800 watt 2x cord 20 amp	N/A	

Ozonator Air Deodorizing

UVA-5000 | UVONAIR

UVONAIR 5000 cu.ft. Room Ozonator with 14" UV-Bulb

- **Ozone Production (mg/hr) :** 47
- **Air Flow Rate (cfm) :** 1.1
- **Voltage / Amps / Watts :** 120 V
- **Uvonair 5000 Bulb :** 17 Watts

Model	Description	Price
UVA-5000	5000 cu.ft Room Ozonator with 14" UV-Bulb	

MyTee Replacement parts

C305

Diaphragm pump
120 psi 1.3 gpm

C302P

Vacuum motor 120 volt 3 stage
for HP120

C302LA

Vacuum motor 120 volt 3 stage
for 8070

AH136

Hose Mytee 1/8" - 16'

E573

Thermostat

E574

Thermostat

B101-A21

Quick Plug 1/4 brass

B102-A24

Quick Plug 1/4 brass



E515

Switch on/off double pole
single throw



G092

Lid cover and gasket
HP120

E571 Heating ROD 600W (HP120)
E519 Heating ROD 1000W (8070)

**You don't see the parts you are looking? Give us a call! We keep a large inventory of mytee parts in stock*

Mobile Vacuums (made in Italy)

P25

P58

SP65

SP65T

Model	Description	Gallons	Amps	Volts	H2O	CFM	Price
109343	Mobile vacuum P25WD • From **TMB** • With car wash attachment • High density Roto-molded polyethylene	10	12	120	130	125	
SP-65	Mobile vacuum SP65 • From **Biemmedue** • With car wash attachment • Plastic blow molding	17	12	120	130	110	
SP-65T	Mobile vacuum SP65 w/handle • From **Biemmedue** • With car wash attachment • Plastic blow molding	17	12	120	130	110	
101082	Mobile vacuum P58.1 (1 motor) • From **TMB** • With car wash attachment • High density Roto-molded polyethylene	16	12	120	130	125	
101031	Mobile vacuum P58.2 **(2 motors)** • From **TMB** • with car wash attachment • High density Roto-molded polyethylene	17	16	120	130	110	
002.411	Vacuum motor 2 stage (made in Italy)		12	120			

Vac Hoses & Cuffs

FLEXIBLE VAC HOSES

- Light weight & flexible even at low temperatures
- -40 to 140 F°
- Tight bending characteristics and high abrasion resistance
- Smooth interior assures efficient air flow
- ***PRICE PER ASSEMBLY***

Model	Description	ID	Length	Lbs/ft	Bend Rad.	Price
FX-FLX25-150	Vacuum polyethylene copolymer hose	1-1/2	25'	0.22	2.5"	

COMMERCIAL VAC HOSES

- Double profile construction for easy movement on surfaces
- -40 to 140 F°
- Excellent flexing characteristics
- Superior abrasion resistance
- Smooth interior assures efficient air flow
- ***PRICE PER ASSEMBLY***

Model	Description	ID	Length	Lbs/ft	Bend Rad.	Price
FX-COM25-150	Vacuum polyethylene copolymer hose	1-1/2	25'	0.28	2.75"	
FX-COM50-150	Vacuum polyethylene copolymer hose	1-1/2	50'	0.28	2.75"	
FX-COM50-200	Vacuum polyethylene copolymer hose (No cuffs included)	2	50'	0.36	4.25"	

CUFFS

- All kind of connectors, reducer, swivel, etc.
- Fits all plastic hose
- PVC

Model	Description	Price
FX-DC440	Swivel Cuff 1-1/2 in.	
FX-DC280	Reducer 1-1/2 x 2 in.	
FX-DC380	Cuff 2 in.	

Vac Hose Reel

VAC HOSE REEL

- High Quality Spring rewind retractable Vacuum reel
- Up to 50' hose (1-1/2 or 2 inches)
- Vacuum hose sold separately
- Prevent premature hose failure and keep clear the floor for security
- Option port for water feeding
- Could be positioned on wall or ceiling with adjustable arm
- Powder paint steel (Stainless steel option is available)

Model	Description	ID	Length	Price
HR-VAC50	Vacuum Hose Reel	1-1/2 or 2	50'	

Industrial Vacuum (Turbine)

TURBINE

- Side channel turbine made in italy
- Last up to 20000 hours before bearing replacement
- Minimal part movement for durability
- Single and double stage available
- 575 volt 3 phase and 240 single phase

Model	Description	inH2O	CFM	Volt	Amp	HP	Price
0.475BP	Double stage Turbine	120	353	600	12	10	
KVSUPP	Wall bracket for Turbine						
G15-16-100	Sound reducer cabinet						

Cyclonic Vacuum

CYCLONIC VACUUM

- Primary filter as bag filter to capture up to 3 micron of fine dust, in/out is 4"
- Primary filter are made of 12 GA zinc-plated Canadian steel and powder-coated paint in our facility
- 2 models available;
  1-3 user(s) as 5x filter bag (4") and cyclone is hook together.
  3-6 users as 9x filter bag (6") and 5 gallon pail for dirt in the lower door
- Cyclone made with 12 GA 316 stainless steel, then powdercoated
- Cyclone captures most of the dust up to10 micron and all liquids
- Plastic recovery tank is 16 gallon and includes 4 caster wheels
- All models are made to be installed on the wall

Model	Description	Price
KV-FP164	Primary Filter 1 to 6 users	
KV-CYC	Cyclone 4" up to 6 users	
KV-CYPR133	Vacuum recipient 1 to 3 users	

Tornador

Z-010 | Tornador Classic

Model	Description	Price
Z-010	Tornador Classic	

Z-011 | Tornador foam gun

Model	Description	Price
Z-011	Tornador foam gun	

Z-014 | Tornador blow gun

Model	Description	Price
Z-014	Tornador blow gun	

Z-020 | Tornador black

Model	Description	Price
Z-020	Tornador black	

Z-030 |Tornador MAX

Model	Description	Price
Z-030	Tornador MAX	

ZV-200 | Velocity vac

Model	Description	Price
ZV-200	Velocity vac (need Tornador black)	

ZV-240 | Velocity vac Dry

Model	Description	Price
ZV-240	Velocity vac dry	

TORNADOR
PROFESSIONAL CLEANING TOOLS

Replacement parts

Model	Description	Price
CT-100	Cone	
CT-101	Weighted tube	
CT-190	Stainless tube cone	
CT-1100A	Foam cap replacement	
CT-200	Repair kit classic	
CT-300	Tornador cap with hole	
CT-400	Tornador cap	
CT-500	Siphon tube	
CT-600	Inner liquid tube	
CT-700	Air reverse switch	
CT-800	Jar	
CT-900	Cone with brush	
TB-100	Cone black	
TB-200RS	Rotator kit black	
TB-600	Inner liquid tube black	
TB-900	Brush black	

**Other replacement parts are available contact us if your part is not into the list*

Sprayers/Foamer EPOCA

Maxi 1 | Spray bottle | **Epoca**

Capacity : 1035 ml **Output** : 2.2 ml **Seal:** NBR					
Maxi white	Maxi red	Maxi yellow	Maxi blue	Maxi green	
7607-P01	7607-P31	7607-P11	7607-P41	7607-P21	

TEC | Pressurized Sprayer | **Epoca**

TEC 1 **Capacity :** 1260 ml **Operating** : 1000 ml **Seal:** Viton		
7856-R001	TEC 1 Yellow	

TEC 1.5 **Capacity :** 1710 ml **Operating** : 1500 ml **Seal:** Viton				
TEC 1.5 Yellow	TEC 1.5 Red	TEC 1.5 Green	TEC 1.5 Blue	
7857-R001	7857-R011	7857-R021	7857-R031	

TEC 2 **Capacity :** 2000 ml **Operating** : 1800 ml **Seal:** Viton				
TEC 2 Yellow	TEC 2 Red	TEC 2 Green	TEC 2 Blue	
7858-R001	7858-R011	7858-R021	7858-R031	

TEC | Foamer/Sprayer | **Epoca**

Model	Description	Capacity (ml)	Output (ml)	Seal	Price
7470-R001	FOAMER TEC **2** blue	2000	1000	Viton	
7474-S001	FOAMER TEC **10** blue	9900	5000	Viton	
7468-S001	SPRAYER TEC **10** blue	9880	7900	Viton	

Gasket seal compatibility reference

Material	Properties
EPDM	• -54 °C to 150 °C • Excellent resistance to ozone • Wide temperature range • Commonly used with brake fluids and refrigerants • Poor resistance to petroleum fluids and mineral oils
NBR	• -40 °C to 120 °C • Presently the most widely used elastomer in the seal industry • Resistant to most mineral oils and greases • Provides an exceptional balance of good mechanical properties, wear properties and cheminal resistance • Do not use with glycol based brake fluids and strong acids
VITON	• -26 °C to 204 °C • Excellent resistance to higher temperatures, petroleum oils and gasoline • Poor compatibility with H_2S over 2%, amines, acetone, hot water and steam • Wide range of chemical resistance • Very good ozone, weather and aging resistance

Foamers

Foamer | FL803

Model	Description	Flow (USGpm)	Temp (F)	Max. PSI	Price
0202001020	1.25mm w/bottle 1L	5.3	140	2900	
4049900002	Pressed filter spare part				

Foamer | FL1000

Model	Description	Flow (USGpm)	Temp (F)	Max. PSI	Price
4044801022	2.1mm w/hose inlet	8	140	4500	
4044801038	2.3mm w/hose inlet	8	140	4500	

Foamer | GP

Model	Description	Flow (USGpm)	Temp (F)	Max. PSI	Price
YLS12	1.5mm	6.5	140	3200	
YLS12T	1.5mm w/Bottle 1 Liter tank	6.5	140	3200	
YLS12T2	1.5mm w/Bottle 2 Liters tank	6.5	140	3200	

Foamer | FL1000-1L

Model	Description	Flow (USGpm)	Temp (F)	Max. PSI	Price
4044801026	2.1mm w/Bottle 1L	8	140	4500	
4044801039	2.3mm w/Bottle 1L	8	140	4500	

Foamer | FL1000-2L

Model	Description	Flow (USGpm)	Temp (F)	Max. PSI	Price
4044801035	2.1mm w/Bottle 2L	8	140	4500	
4044801037	2.3mm w/Bottle 2L	8	140	4500	

GUIDE FOR NOZZLE SELECTION

Nozzle size		Recommended Flow		Nozzle size		Recommended Flow	
mm	inch	l/min	USGpm	mm	inch	l/min	USGpm
1,6	0,06	6 - 9	1,6 - 2,4	2,3	0,09	14 - 21	3,7 - 5,6
1,8	0,07	8 - 12	2,1 - 3,2	2,5	0,10	22 - 30	5,8 - 7,9

AUTOMOTIVE

WALL OR CEILING BOOM BY MECLINE

MADE IN ITALY

•12 US GPM - Up to 3625 PSI

- INLET/OUTLET 1/4"
- STAINLESS STEEL 90° SWIVEL + INLINE SWIVEL
- STAINLESS STEEL ARM & PIVOT

• RATED PRESSURE	220 bar	22 MPa	3200 psi
• PERMISSIBLE PRESSURE	250 bar	25 MPa	3625 psi
• RATED FLOW		45 L/min	12 USGpm
• RATED TEMPERATURE		90 °C	194 °F

Model	Description	Price
4150200008	Ceiling/Arm Overhead boom Arm 66"	
4150200009	Ceiling/Arm Overhead boom Arm 72"	
4150200010	Ceiling/Arm Overhead boom Arm 82"	
4150200011	Ceiling/Arm Overhead boom Arm 102"	
4150200012	Ceiling/Arm Overhead boom Arm 121"	

WH2552	Wall holder stainless steel 22"	

BD-12	Drop post for ceiling boom powder coated 12"	
BD-24	Drop post for ceiling boom powder coated 24"	
BD-36	Drop post for ceiling boom powder coated 36"	
BD-48	Drop post for ceiling boom powder coated 48"	
BD-60	Drop post for ceiling boom powder coated 60"	
BD-72	Drop post for ceiling boom powder coated 72" (With side braket)	

PWH-6-17B	Hose boom, 4000 psi 198" 3/8 140 F° max	

KITBOOM	Gun swivel (gun, flexible lance stainless, nozzle protector, nozzle, pressure hose 17')	

... more items on next page

Carwash Accessories

Parts & accessories

Model	Description	Price
20.0032	Ball valve nickel plated, 3/8, 3000 psi	
20.0033	Ball valve nickel plated, 1/2, 3000 psi	
20.0034	Ball valve nickel plated, 3/4, 3000 psi	
DALLO	Metal support hook to ceiling, 12" wide x 8' long powder coated (need 2 support in extra, length need to be determine to get accurate pricing)	
LC-76-3	Adjustable, rust-proof 76-3 Lake City Hand Wringer	
CH30	Chammy 3.0 square Feet	
CH70	Chammy 7.0 square Feet	
		
WRSUPP	Wringer wall support	
HM-825SD	Stainless steel mat clamp with red sticker	
CABRAB3044	Cabinet with fold-down shelf - 44 W x 30 H x 12 inches	

Color option NO Extra Charge

Curtain & Separation Walls

Curtain Walls

Keep your areas clean
Different sizes available. Standard shown below.
Custom sizes on request. Many choice of colors also available upon request.

SIZE	SQUARE FEET	PRICE
8 x 24 ft.	192	
10 x 24 ft.	240	
12 x 24 ft.	288	
8 x 14 ft.	112	
10 x 14 ft.	140	
12 x 14 ft.	168	
CURVE		

Up to 12' high: /per square feet

Available colors

Separation Plastic Walls

Include (wall base, metal post 12 GA, PVC wall, Top and End fascia powder coated)
*6 plywood 1/2in. needed

SIZE	PRICE
60 in. x 20 feet	

Around /per linear feet

**Picture is for reference only. No accessories shown are included.*

Flex Das Original

FLEX
Das Original

cordless kit include 2 battery , carrying bag and charger

FLEX POLISHER | CORDLESS

Order No.	Model	Description	Max Pad diam.	Drive	RPM without load	Volt	Price
493503	FLEX PXE 80	The C-Beast	3 inch	Forced Orbital	400-5,800	12 V	
459550	FLEX XCE 8/125	The C-Beast	6.25 inch	Forced Orbital	230-380	18 V	
459542	FLEX XFE 15/150	The Finisher	6 inch	Random Orbital	2,300-3,800	18 V	
459569	FLEX PE 150	Rotary Polisher	6 inch	Rotary/Random	150-1,450	18 V	

FLEX TOOLS | CORDLESS BLOWER

Order No.	Model	Description	Volt	Price
478105	FLEX BW 18	Blower 100 CFM	18 V	
480061	FLEX BW 18	COMPLET KIT Blower 100 CFM	18 V	

FLEX POLISHER | CORDED

Order No.	Model	Description	Max Pad diam.	Drive	RPM without load	Price
334839	FLEX XC3401 VRG 80	The Beast Polisher	6.5 inch	Forced Orbital	160-480	
436720	FLEX XCE 10-8 125	New Orbital Polisher	6 inch	Random Orbital	140-430	
373923	FLEX PE 14-3 125	Rotary Polisher	6.5 inch	Rotary/	1,100-3,700	
411752	FLEX PE8-4 80	KOMPAKT Rotary Polisher	3 inch	Rotary	1,300-3,900	
436712	FLEX XFE 7-15 150	The Finisher	6.3 inch	Random Orbital	2,900-6,800	
447145	FLEX XFE 7-12 80	Mini Random Orbital Polisher	3 inch	Random Orbital	3,600-10,800	

Flex Das Original - Accessories

Backing Pad

Molded sanding pad with hook face.

Size	Order No.	Price
1" / 2.5 cm	556.111	
2" / 5 cm	556.115	
3" / 7.5 cm	556.125	

FLEX
Das Original

Foam Pad

Orange (Heavy)

Firm pad used for aggressive cutting such as on fiberglass. gel coat applications or heavily. oxidized surfaces. Color sanding scratches removed easily with appropriate compounds.

Green (Medium)

Used for gloss enhancement on clear coat or non-clear coat. Works well on car wash scratches, hard wash scratches, light oxidation. A versatile pad.

Black (Soft)

Used for application of finishing polish, wax or sealants. Attain professional results with minimal effort. Delivers superb compression and conformity to contours and light buff areas.

Size	Order No	Price
3" / 7.5 cm	555.110	
2" / 5 cm	555.115	
1" / 2.5 cm	555.120	
3" / 7.5 cm	555.125	
2" / 5 cm	555.130	
1" / 2.5 cm	555.135	
3" / 7.5 cm	555.140	
2" / 5 cm	555.145	
1" / 2.5 cm	555.150	

"The Finisher" Backing Pads

Cushioned Velcro pad, with medium hardness

Size	Order No	Price
3" / 7.5 cm	493.406	
5" / 12.5 cm	487.953	
6" / 15 cm	487.988	

PXE Backing Plates

	Size	Order No	Price
BP-M/SR D30	Sticky 1" / 2.5 cm	492388	
BP-M D30	Velcro 1" / 2.5 cm	492353	
BP-M D75	Velcro 3" / 7.5 cm	492361	

PXE Adapters

DT-P

DT-XF 3D

DT-XF 12

DT-P	DT-XF 3D	DT-XF 12
rotary	3mm orbital	12mm orbital
496.030	496.014	496.022

12V and 18V Battery Tools

Part No.	Description	Battery Power	Price
493.511	High-performance battery cells	12 V 2.5Ah	
493.538	High-performance battery cells	12 V 4.0Ah	
493.546	High-performance battery cells	12 V 6.0Ah	
461.083	High-performance battery cells	18 V 2.5Ah	
461.091	High-performance battery cells	18 V 5.0Ah	



PUMPS

Mazzoni pumps

SERIES | MM | 24 mm SOLID SHAFT

Model	PSI	GPM	RPM	Price
MM21200R	2900	6.66	1740	

SERIES | GM | 24 mm SOLID SHAFT

Model	PSI	GPM	RPM	Price
GM30250R	3625	9.51	1740	
GM40170R	2465	12.68	1740	
GM54150R	2175	17.12	1740	
GM63150R	2175	19.97	1740	

SERIES | XM | 24 mm SOLID SHAFT

Model	PSI	GPM	RPM	Price
XM17500R	7250	5.39	1740	
XM21500R	7250	6.68	1740	

SERIES | LM | 30 mm SOLID SHAFT

Model	PSI	GPM	RPM	Price
LM80280	4060	21.1	1450	
LM41500	7250	10.8	1450	
LM120150	2175	31.7	1000	

**If you don't see what you are looking for give us a call!*

GP Gasoline pumps

General Pump Reliability, Versatibility, Economic Quality - High Pressure Pump (made in Italy)

HOLLOW SHAFT | Gasoline | 3/4”

Model	PSI	GPM	RPM	HP	Price
ET1507G6	2610	3.30	3400	8.6	
ET1508G6	2610	3.40	3400	9.1	

HOLLOW SHAFT | Gasoline | 1”

Model	PSI	GPM	RPM	HP	Price
EP1311G8	4000	3.40	3400	14.0	
EP1313G8	4000	4.00	3400	16.4	

HOLLOW SHAFT | Gasoline | 1”

Model	PSI	GPM	RPM	HP	Price
EZ4040G	4200	4.00	3400	16.4	

GP / Interpump pumps

General Pump Reliability, Versatibility, Economic Quality - High Pressure Pump (made in Italy)

- **ES SERIES** | Inlet 125 PSI - 165°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
ES2213S	3000	5.55	1450	11.45	
ESN2213S	4000	5.55	1450	11.5	
ES1810S	4000	3.43	1750	9.4	
ES2010S	4000	3.96	1750	10.9	
ES2012S	4000	4.76	1750	13.0	

GP / Interpump pumps

• **EP SERIES** | Inlet 125 PSI - 165°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
EP1810S17	2500	3.40	1750	5.8	
EP1811S17	2500	3.70	1750	6.3	
EP1812S17	2500	4.00	1750	6.8	
EP1512S17	3045	2.90	1750	6.8	

HOLLOW SHAFT | Electric | 1" 1/8

Model	PSI	GPM	RPM	HP	Price
EP1512E17	3045	2.90	1750	6.0	
EP1810E17	2500	3.40	1750	5.8	
EP1811E17	2500	3.70	1750	6.3	
EP1812E17	2500	4.00	1750	6.8	

• **ET SERIES** | Inlet 125 PSI - 165°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
ET1509S17	2610	2.10	1750	3.7	
ET1809S17	2320	3.20	1750	5.0	
ET1810S17	2320	3.40	1750	5.4	

HOLLOW SHAFT | Electric | 5/8"

Model	PSI	GPM	RPM	HP	Price
ET1509E17	2610	2.10	1700	3.7	
ET1809E17	2320	3.20	1700	5.0	
ET1504E34	2610	1.85	3400	3.6	
ET1507E34	2610	2.10	3400	3.7	

GP / Interpump pumps

• **44 SERIES** | Inlet 125 PSI - 165°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet



SOLID SHAFT | 1" 1/8 E | 24 mm

Model	PSI	GPM	RPM	HP	Price
EZ2542S	2500	4.20	1750	7.2	
EZ2536E	2500	3.00	1750	5.1	
EZ2542E	2500	4.20	1750	7.2	

• **47 SERIES** | Inlet 125 PSI - 165°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
T1011	2000	4.50	1125	6.2	
T1011	1500	5.60	1450	5.8	
T1321	2100	5.50	1150	7.9	
TS1011	2000	4.0	1450	5.5	
TS1011	1500	4.75	1750	4.9	
TSS1511	3500	4.00	1450	9.6	
TS1321	2100	4.75	1450	6.8	

SOLID SHAFT | Nickel-Plated Manifold | 24 mm

Model	PSI	GPM	RPM	HP	Price
T2021	3500	4.50	1125	10.8	
TS2021	3500	5.60	1450	13.4	
TS2011	2300	4.75	1750	7.5	

**If you don't see what you are looking for give us a call!*

• **66 SERIES** | Inlet 125 PSI - 165°F max. - 3/4 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
TSF2219	3000	7.7	1450	15.8	
TSF2219	3000	9.3	1750	19.1	
TSF2221	3000	8.5	1450	17.5	
TSF2221	3000	10.2	1750	21.0	
TSF2421	3000	10.0	1450	17.1	
TSF2421	2500	12.0	1750	20.5	

GP / Interpump pumps

• **5000 to 6525 PSI PUMP** | Inlet 125 PSI - 165°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
T5050	5000	5.00	1845	25.7	
TSP1621	6525	4.30	1450	19.2	

GP High temperature pumps - FOOD INDUSTRY

• **ET SERIES** | Inlet 125 PSI - 185°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

HOLLOW SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
ET1509E175H	2610	2.10	1700	3.7	

• **HTC SERIES** | Inlet 125 PSI - 185°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
HTC1509S17	2200	2.10	1750	3.0	
HTC1511S17	2200	2.60	1750	4.0	
HTXS1812S	2000	3.8	1750	5.0	

• **HTS SERIES** | Inlet 125 PSI - 185°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
HTS2210S	2300	4.00	1450	6.3	
HTS2215S	2300	5.00	1200	7.5	
HTS2016S	3000	5.60	1450	11.5	

AR pumps

ANNOVI REVERBERI

Annovi Reverberi (AR) plunger pumps are a combination of exceptional degree of technology and innovation, quality and reliability worthy of a leading brand on the market.

- High Pressure Pump (made in Italy)

- **RCA SERIES** | Inlet 125 PSI - 140°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

NEMA 56-C FLANGE | 5/8"

Model	PSI	GPM	RPM	HP	Price
RCA2G22E-F8	2200	2.00	1750	3.0	
RCA3G25E-F8	2500	3.00	1750	5.1	

- **RKA SERIES** | Inlet 125 PSI - 140°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | | 24 mm

Model	PSI	GPM	RPM	HP	Price
RKA35G40HN	4000	3.50	1750	9.6	
RKA4G40N	4000	4.00	1750	8.2	
RKA55G30HN	3000	5.50	1750	11.3	
RKA7G20HN	2000	7.10	1750	10.0	

NEMA 182-184 FLANGE | 1" 1/8 FEMALE SHAFT

Model	PSI	GPM	RPM	HP	Price
RKA3.5G30E-F17	4000	3.50	1750	9.6	
RKA4G40E-F17	3000	4.00	1750	8.2	
RKA3.5G40HE-F17	3000	3.50	1750	10.0	
RKA55G13E-F17	2000	5.50	1750	7.5	
RKA7G40HE-F17	2000	7.10	1750	10.0	

AR pumps

• **RKV SERIES** | Inlet 125 PSI - 140°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

GAS ENGINE FLANGE | 1”

Model	PSI	GPM	RPM	HP	Price
RKV4G40HD-F24	4000	4.00	3400	11.0	

• **RG SERIES** | Inlet 125 PSI - 140°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
RG1528HN	4000	4.00	1450	11.0	
RG2125HN	3600	5.50	1450	13.6	

• **XWA SERIES** | Inlet 125 PSI - 140°F max. - 3/4 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | 24 mm

Model	PSI	GPM	RPM	HP	Price
XWAM8G35N	3500	8.00	1750	19.2	

• **RTX SERIES** | Inlet 125 PSI - 140°F max. - 1 FNPT inlet x 1/2 FNPT outlet

SOLID SHAFT | 30 mm

Model	PSI	GPM	RPM	HP	Price
RTX85	2200	21.00	1450	31.7	
RTX100	2200	26.00	1450	31.7	

UDOR pumps

- High Pressure Pump

- **BC SERIES** | Inlet 125 PSI - 160°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

SOLID SHAFT | Solid shaft 24mm

Model	PSI	GPM	RPM	HP	Price
BC 21/20-S	3000	5.50	1450	11.0	

- **CC SERIES** | Inlet 125 PSI - 160°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

DIRECT DRIVE | Solid shaft 24mm

Model	PSI	GPM	RPM	HP	Price
CC 21/20S	3000	5.50	1450	11.0	

Giant pumps

- High Pressure Pump
- P56E series made in Germany

- **P56W SERIES** | Inlet 145 PSI - 160°F max. - 1/2 FNPT inlet x 3/8 FNPT outlet

BELT DRIVE | 24 mm

Model	PSI	GPM	RPM	HP	Price
P56W	1900	6.10	1420	7.9	
P56W	1000	7.50	1750	5.1	

Comet pumps

- High Pressure Pump
- Affordable

SIZE CHART
E = 1" 1/8
S = 24 mm Solid shaft
G = 1"
BXDE = 5/8"
BXDG = 1"

AWD, BXD, LWS, LWD, FWS2, RW, RWS and ZWD

Model	PSI	GPM	RPM	HP	Price
AWD-K4040G	4000	4.0	3400	13.0	
BXD2020E	2000	1.9	3400	2.5	
BXD2528G	2800	2.4	3400	6.0	
LWS2020E	2000	2.2	1750	3.0	
LWS3020E	2000	3.1	1750	4.0	
LWS-K3025S	2500	3.0	1750	5.0	
LWD3025G	2500	3.0	3400	6.5	
LWD-K3025G	2500	3.0	3400	6.5	
FWS2-3530 E	3000	3.5	1750	7.5	
FWS2-4030 E	3000	4.2	1750	10.0	
RW5535S	3000	5.5	1450	11.0	
RWS3530E	3000	3.6	1750	7.5	
RWS4030E	3000	4.0	1750	8.0	
RWS4030S	3000	4.0	1750	8.0	
ZWD-K4042G	4000	4.2	3400	15.0	
ZWD4040G	4000	4.0	3400	14.5	

Miscelleanous

Made in England

Step Drill bits | Clarkson Osborn

Model	Description	Price
DR70001	Spiral from 1/8 to 1/2 (1/32 increment)	
DR70002	Spiral from 3/16 to 1/2 (1/16 increment)	
DR70003	Spiral from 1/4 to 3/4 (1/16 increment)	
DR70004	Straight from 3/16 to 7/8 (1/16 increment)	
DR70005	Straight from 1/4 to 1-3/8 (1/8 increment)	
DR70101	Set (DR70001+DR70002+DR70003)	

other sizes available on demand

Repair Screw Extractors | Clarkson Osborn

Model	Description	Price
TA97001	Spiral from 3/6 to 1/8 (5/64 increment)	
TA97002	Spiral from 1/4 to 5/16 (7/64 increment)	
TA91003	Spiral from 5/16 to 7/16 (5/32 increment)	
TA97004	Straight from 7/16 to 9/16 (1/4 increment)	
TA97005	Straight from 9/16 to 3/4 (17/64 increment)	
TA97006	Straight from 3/4 to 1" (13/32 increment)	
TA97007	Straight from 1" to 1"-3/8 (17/32 increment)	
TA97008	Straight from 1"-3/8 to 1"-3/4 (13/16 increment)	

**other sizes available on demand*

Tap | Clarkson Osborn

Model	Description	Price
CT72404	1/4 - 20 Spiral point NC HSS Tap	
CT72405	5/16 - 18 Spiral point NC HSS Tap	
CT72406	3/8 - 16 Spiral point NC HSS Tap	
CT68216	1/4 - 20 NC Extension HSS Tap	
CT68220	5/16 - 18 NC Extension HSS Tap	
CT68224	3/8 - 16 NC Extension HSS Tap	

other sizes available on demand

Drill bits | Clarkson Osborn

Model	Description	Price
DR02004	1/16 HSS Straight shank jobber drill	
DR02005	5/64 HSS Straight shank jobber drill	
DR02006	3/32 HSS Straight shank jobber drill	
DR02007	7/64 HSS Straight shank jobber drill	
DR02008	1/8 HSS Straight shank jobber drill	
DR02009	9/64 HSS Straight shank jobber drill	
DR02010	5/32 HSS Straight shank jobber drill	
DR02011	11/64 HSS Straight shank jobber drill	
DR02012	3/16 HSS Straight shank jobber drill	
DR02013	13/64 HSS Straight shank jobber drill	
DR02014	7/32 HSS Straight shank jobber drill	
DR02015	15/64 HSS Straight shank jobber drill	
DR02016	1/4 HSS Straight shank jobber drill	
DR02017	17/64 HSS Straight shank jobber drill	
DR02018	9/32 HSS Straight shank jobber drill	
DR02019	19/64 HSS Straight shank jobber drill	
DR02020	5/16 HSS Straight shank jobber drill	
DR02021	21/64 HSS Straight shank jobber drill	
DR02022	11/32 HSS Straight shank jobber drill	
DR02023	23/64 HSS Straight shank jobber drill	
DR02024	3/8 HSS Straight shank jobber drill	
DR02025	25/64 HSS Straight shank jobber drill	
DR02026	13/32 HSS Straight shank jobber drill	
DR02027	27/64 HSS Straight shank jobber drill	
DR02028	7/16 HSS Straight shank jobber drill	
DR02029	29/64 HSS Straight shank jobber drill	
DR02030	15/32 HSS Straight shank jobber drill	
DR02031	31/64 HSS Straight shank jobber drill	
DR02032	1/2 HSS Straight shank jobber drill	

other sizes available on demand

Tap NPT (Plumber) | Clarkson Osborn

Model	Description	Price
CT10004	1/4 - 18 NPT HSS Tap	
CT10006	3/8 - 18 NPT HSS Tap	
CT10008	1/2 - 14 NPT HSS Tap	
CT10012	3/4 - 14 NPT HSS Tap	

other sizes available on demand

Miscelleanous

Tools | Packing & Oil Seal Extractor

Model	Description	Price
100783	Packing extrator kit (puller)	
P3.201.001	Packing Extractor PM/MM	
P3.201.002	Packing Extractor GM/XM	

TEFLON High Density | 1/2"

Model	Description	Length	Price
TFCO-TS50HD520	Teflon High Density 1/2"	520"	

Water tanks

Model	Description	Price
TD12	12 Gallon Total Drain	
UP-6322	30 Gallon square tank	
G17-15-020	S/Steel lid for 30 Gallon tank	
PC030	Round Tank 30 Gallon	

Polypropylene Bulkhead

Model	Size	MAX. °F	Price
BULK1/2	1/2" FNPT Bulkhead	120	
BULK3/4	3/4" FNPT Bulkhead	120	
BULK1	1" FNPT Bulkhead	120	
BULK11/2	1-1/2" FNPT Bulkhead	120	
BULK2	2" FNPT Bulkhead	120	

Chemicals |

Model	Description	Price
	General Purpose	
BO-HT636-01	Power Play 3.78 L	
BO-HT636-05	Power Play 20 L	
DC-2020-SUP	Degreaser 20 L	
	Dash shine / Tire shine	
BO-6201-01	Ardex Detail spray can	
BO-HT216-01	Diamond Shine 3.78 L	
	Car Soap	
BO-HT670-01	Wash Wax 3.78 L	
BO-HT670-05	Wash Wax 20 L	
	Interior	
BO-FCP	Fabric Cleaner spray can	
BO-04GC	Glass Cleaner 3.78L	

Float Valves

Model	Description	GPM	Size	Price
YFLOATVALVE	P.A. Float valve	7.0	3/8	
J-TPV20DLT	Float Valve Jobe	53.0	3/4	
J-TPVC0075DLT	Compact Float Valve Jobe	53.0	3/4	

High temperature Float Valves | 176°F

Model	Description	GPM	Size	Price
TPV120DLT	Float Valve Jobe	53.0	3/4	

Brands we represent

KleenVAC

KleenWASH

RAMEX

MYTEE PRODUCTS, INC.

GIANT Performance Under Pressure

mecline HIGH PRESSURE WASHING ACCESSORIES BY TECOMEC

KOTHAR™

MAZZONI

Gates

PA

BM2 BIEMMEDUE AROMAT

ANNOVI REVERBERI

UDOR

epoca Trust the future

FLEX Das Original

GP GENERAL PUMP

Goffs

TECHTOP

MTM HYDRO

DRAINVAC

ABB BALDOR · RELIANCE

SUTTNER AMERICA COMPANY PRESSURE WASHER COMPONENTS & ACCESSORIES

INTERPUMP GROUP

COMET

FAT PUMPS The Pumps with Nine Lives

Jobe valves

TORNADOR PROFESSIONAL CLEANING TOOLS

THINKKLEEN thinkkleen.com

BALDOR MOTORS AND DRIVES

DARCO

Industrial Cleaning Equipment - Sales & Service

2380 Wyecroft Road,
Unit 16 Oakville, ON L6L 6W1
TOLL FREE: 1-877-933-2726
Phone: 905-825-1966
sales@darcopressurewashers.com

DarcoPressureWashers.com